



BOILING



CHILLED



SPARKLING

MULTIFUNCTION TAPS > QUATREAU RANGE

QUATREAU INFINITE SMART TAP™

– The stand alone drinks station with high capacity
output for busy offices and kitchens.

SPECIAL FEATURES

- Delivers high volumes of boiling, chilled and sparkling water
- Fits into a standard 800mm cabinet
- Ventilation duct included for kick space installation
- Lowest energy consumption
- Highest performing insulation
- Most robust and reliable system on the market
- 24 month unlimited** warranty, excludes misuse or abuse

***subject to annual service – extend warranty free of charge up to the
5th year with our unique annual service agreement. Ask for details.*

Call 01483 617000 to book an installation
or find out more at pureh2o.co.uk

MADE
IN GREAT
BRITAIN 

riba
product
selector

n55Plus

MULTIFUNCTION TAPS > QUATREAU RANGE

QUATREAU INFINITE SMARTTAP™

-The stand alone drinks station with high capacity output for busy offices and kitchens



QUATREAU SMARTTAP™ is the ideal system for drink or food prep areas in the kitchen, restaurant or office.

The compact under counter system dispenses boiling, chilled still and sparkling water options in high volumes controlled by an illuminated button console.

The SmartTap™ can be positioned as a stand alone system or over sink. The system has been designed to withstand the demands of busy and high-use areas. Easy to configure left and right handed options are available.

Manufactured and assembled in Great Britain using the highest quality components chosen for proven strength and longevity with low environmental impact, aiding clients meet their corporate social responsibilities.

The under sink or under cabinet system offers the choice of filtered or pure* boiling, chilled, still and sparkling water modules as well as ambient water. The under counter unit incorporates easy to install and maintain quick fit filters and CO2 cartridges as well as *multimedia filters to reduce impurities found in mains fed water.

QUATREAU SMARTTAP™ (left) model shown provides boiling and chilled water with built-in drip tray.

QUATREAU SMARTTAP™ FEATURES AND BENEFITS

BOILER FUNCTION

Illuminated control with built in (optional) safety device. Ask for details.

Delivers an impressive 60l/hr 97-98°C water in an almost infinite flow to cope with busy demanding office environments. Max instant draw of 3ltrs with no temperature drop. Very quick recovery time.

CHILLED WATER FUNCTION

Illuminated control.
Chiller unit delivers 50l/h sub 5°C.

SPARKLING WATER FUNCTION

Illuminated control.
Sparkling capacity 50l/hr sub 5°C

*PURE WATER FUNCTION

The only system suitable for use with optional RO water for the ultimate in taste and purity.

BUILD QUALITY

Tank and element are made from 316 stainless steel, the best material for water, giving the strongest, longest lasting system on the market.

ENERGY EFFICIENT

33% less energy use than a kettle, with quicker recovery time.

PERFORMANCE

Thermal insulation outperforms any other boiler design on the market.

Silent running pump for quiet production of sparkling water.


Adjustable setting for sparkling and chilled temperature.




QUATREAU SMARTTAP™

Fits seamlessly on to any counter top in food preparation areas in kitchens, restaurants and offices. Model shown has boiling, chilled, still and sparkling water modules – 653 BCS.


QUATREAU SMARTTAP™
DIMENSIONS




QUATREAU SMARTTAP™
ORIENTATION OPTIONS




653 INFINITE
DIMENSIONS



CHILLER CARBONATOR 653CS DIMENSIONS



Typical installation for under counter systems for delivery of boiling, chilled and sparkling water.



QUATREAU SMARTTAP™ FEATURES AND BENEFITS

PRODUCTION RATES

Boiling capacity approx 60ltr/hr at 97°C.
Chilled capacity 50l/h sub 5°C.
Sparkling capacity 50l/h sub 5°C.

SITE PREPARATION

- A template is provided for tap panel cut out.
- Tap panel may be sited behind the sink or alongside to the left or right hand side.
- Tap panels available as left or right hand orientation, please specify at time of order.

WATER & DRAINAGE:

- 15mm isolated mains water supply.
- Trapped drain.
- If choosing our integrated drainer, client to specify on-site plumbers to connect drainage to trap provided with Quatreau SmartTap.

TECHNICAL DETAIL

QUATREAU 653 INFINITE POWER REQUIREMENTS

653-B (boiler control) 13A Double Socket
Voltage 230V
Wattage Max 2.56 x2 boiler cells
Standby 80W

QUATREAU 50L/H CHILLER Q-C50

POWER 13A SSO or fused spur
VOLTAGE 230V single phase
FREQUENCY 50 Hz
RATED INPUT 200W
RATED FUSE 5A
REFRIGERANT R134a-85g
CLIMATE CLASS N

QUATREAU 50L/H CHILLER CARBONATOR Q-CS50

POWER 13A SSO or fused spur
VOLTAGE 230V single phase
FREQUENCY 50 Hz
RATED INPUT 300W
RATED FUSE 5A(T)
REFRIGERANT R134a-85g
CLIMATE CLASS N

ANNUAL SERVICE

All systems come with integrated filtration down to 5 microns GAC for removal of organic pollutants. For purified drinking water we recommend the Purity 1 range of RO systems from The Pureh2o Company for the ultimate taste and purity. Guaranteed to remove Metaldehyde (slug poison) that currently breaches UK water regulations (published 2018).

EXTENDED WARRANTY

Simply service your system annually to receive free extended warranty for a further 12 months (a fully comprehensive service plan option is then available). Extend your warrant free of charge for 3-5 years with our exclusive annual service agreement. It is not recommended customers install or carry out any repairs to their system.

For further information and to see the full range of purifiers, softeners and multifunction taps visit **pureh2o.co.uk**